Notice of Violation Pursuant to Requirements of the Resource Conservation and Recovery Act (RCRA)

TO: Facility Name: 1 N	
	on W 915+ 5+
EPA ID Number: KSK	
Di it ib italion.	
This notice does not constitute and may not be a complete lis	your attention to the following areas of noncompliance with state and federal regulations. a compliance order (Administrative Civil Complaint) pursuant to Section 3008 of RCRA ing of all violations resulting from the the inspection.
Citation	NEOrpunated K5 state regulations Description of Violation
040 CFR 262.11	Make a hazardous waste determination (a) Autoclave Indicator Tape for blue tape
	and thin white tope
	@ 4 htls of Hydrogen Peroxide
15	
3 40 CFR 273, 131	d)(1) One container of UW-lamps stored >141
(3) 40 CFR 273.13	(d)(1) Open box of UW-lamps
(4) 40 CFR 262, 20 (6) 40 CFR 265,526	
(5) 40 CFK 263,32CE	with hospital and evacuation signal
6)40 CFR 265,31	The facility not operated to minimize the
<u> </u>	possibility of a fire (electrical plug next to
	ignitable waste)
	a written response within 14 calendar days of receipt of this notice. Your response should prective actions taken and/or a schedule for completing the necessary corrective actions. itted to:
	U. S. Environmental Protection Agency, Region VII
	300 Minnesota Au
	Kansas Cita, KS 66101
	ATTN. Dedriel Newsome
913 551 7049	out this Notice or wish to discuss your response, you may call me at, or
913 551 7631	
This Notice prepared by	Dedue Maurone Date: 9/24/15
	nowledges that he/she has received a copy of this Notice and has read same.
	에 해결하게 되었다. 그는 이렇게 되었다면 하는데 그는 그는 그는 그는 그는 그는 그는 그는 그를 보는데
	Printed Name: CLIZABOTH KAMALI Date: 24 Sept 2015 Signature:
	Printed Name: ELIZABETH KAMALI Date: 24 Sept 2015 Signature: Title: ASSER DIRECTOR CRETY TRIVIRENTMENT
At	tachment 5 Page 1 of